



## 2 ton Electric Chain Hoist w/ Power Trolley 1 Speed 208~240V 3ø 1/2 60HZ 16ft G100 Nickel Duty H4/M5

### Características Esenciales

- 3 Años de Garantía, Servicio y Atención al Cliente en Mexico

## Especificaciones Técnicas

Capacidad de Carga	2 ton	Altura de Izaje Estandard (Customizable)	16 ft / 5 m
Velocidad /min	26,77 ft @60Hz 6,8 mt @50Hz	Numero de Velocidades	1 Speed
Voltaje	3 Phase 208~240V 50/60Hz	Clase de Servicio	H4/M5/2m/Class D
Freno Motor	Yes	Protección IEC Motor	IP55
Control	Pendant Control IP66	Voltaje del Control	24V
Tipo Transmisión / Reductor	Spur gearbox	Tipo de Cadena	G100 Nickel
Dimensiones de la Cadena	10 mm	Caidas de Cadena	1
Longitud de cadena	16	Humedad	20%~90%
Temperatura	-4 ~ 104° F / -20 ~ 40° C	Potencia del Trolley	500
Velocidad del Trolley /min	43,296 ft @60Hz 11 mt @50Hz	Cantidad de Velocidades	1
Normas	ASME HST-1 , ASME B30.16 , B30.17 , EN60204-34, EN ISO 12100:2010, EN 14492-2:2019, EN 60204-1:2018+A1:2025, EN IEC 61000-6-2:2019, EN IEC 61000-6-4:2019, EN IEC 61000-3-2:2019+A2:2024, EN 61000-3-3:2013+A2:2021	Garantía	3 Year
Hoist Contactors Amps	25A	Hoist Contactor Brand	sokar
Hoist Contactor Model	CJX2-2511	Hoist Contactor Coil Voltage	24 V
IEC Hoist IP Protection	IP55	Pendant Control Yes No	Yes
IEC Pendant Control Protection	IP66	Pendant Control Emergency Stop	Yes

<b>Trolley Motor Brake Type and DC Voltage</b>	DC170V	<b>Trolley Motor Insulation Grade</b>	F
<b>Trolley Contactors Amps</b>	12A	<b>Trolley Contactors Brand</b>	sokar
<b>Trolley Contactors Model</b>	CJX2-1211	<b>Trolley Contactors Coil Voltage</b>	24 V
<b>Trolley Limit Switches</b>	Yes	<b>Trolley Wheel Diameter</b>	110
<b>Trolley Wheel Material</b>	No. 45 steel	<b>Trolley Minimum Turn Radius</b>	1,5
<b>Trolley Beam Range</b>	3" to 7"	<b>Trolley Beam Extension Kit</b>	up to 12"
<b>Load Chain weight per foot [lbs]</b>	1.47	<b>1st Package Type</b>	Wood Crate

## Peso & Dimensiones

**Peso Total** 430 lbs / 196 Kg

## Detalles del Empaque

**H Altura Muerta** 23.62

**A Altura Total** 21.26

**D Depth** 27.36

**W Ancho** 16.54

**J Boca Gancho** 2.05

**Peso Total (sin cable o cadena)** 280.35

Referential Images / Imágenes Referenciales  
Specifications may change without notice / las especificaciones pueden cambiar sin previo aviso